



 AIR COOLER

OMEGA 

MAC-15B (10L)

FEATURES

- Power: 130W
- Ratings: 220V, 50Hz
- Noise: 55 decibel
- Air flow capacity: 1130CBM/hour
- Cooling padn: 50mm thick
- Tank capacity: 10L
- Standard room dimension: 15-20sq.m.
- Water consumption: 1.0L/hour
- Wind speed: 11.0m/s
- 24 hours timer setting
- 3 wind modes of Natural, Sleep, Normal
- Automatic left-right & Manual up-down swing
- Remote control, with Ionizer
- Color: White

LOADING QTY

- 316pcs/20'GP
- 625pcs/40'GP
- 750pcs/40'HQ
- Min. order: 1×40'HQ
- Product Size: 32x29.5x72(H)cm
- 1pc/ctn: 33.5x35x79.8(H)cm
- N.W: 6.5kg
- G.W: 7.9kg



MAC-17C (15L)

FEATURES

- Power: 130W
- Ratings: 220V, 50Hz
- Noise: 52 decibel
- Air flow capacity: 1130CBM/hour
- Cooling pad: 40mm thick
- Tank capacity: 12L
- Standard room dimension: 20-25sq.m.
- Water consumption: 1.2L/hour
- Wind speed: 10m/s
- 24 hours timer setting
- Automatic left right & Manual up down swing
- 3 wind modes of Natural, Sleep, Normal
- Remote control, with Ionizer
- Color: White+Black / white+Apricot

LOADING QTY

- 230pcs/20'GP
- 465pcs/40'GP
- 560pcs/40'HQ
- Min. order: 1×40'HQ
- Product Size: 33x34.8x85.3(H)cm
- 1pc/ctn: 36.6x39.3x86.6(H)cm
- N.W: 7.4kg
- G.W: 9.4kg



 DRY IRON

MEGA 

MDI-122 BLUE

FEATURES

- Dry function
- Non-stick coating soleplate
- Adjustable temperature
- Overheat protection
- Temperature pilot light
- 360°rotatable cord protector
- GB Size:25x10.4x13.5cm
- Carton Size:53.5x26.5x29.5cm
- Ctn/pcs: 12pcs/ctn
- Ctn G.W./N.W.: 8.2/7.6 kgs
- 20'/40'/40'HQ: 6900/13870/16260 Pcs



MDI-122 GREEN

FEATURES

- Dry function
- Non-stick coating soleplate
- Adjustable temperature
- Overheat protection
- Temperature pilot light
- 360°rotatable cord protector
- GB Size:25x10.4x13.5cm
- Carton Size:53.5x26.5x29.5cm
- Ctn/pcs: 12pcs/ctn
- Ctn G.W./N.W.: 8.2/7.6 kgs
- 20'/40'/40'HQ: 6900/13870/16260 Pcs



MDI-122 PINK

FEATURES

- Dry function
- Non-stick coating soleplate
- Adjustable temperature
- Overheat protection
- Temperature pilot light
- 360°rotatable cord protector
- GB Size:25x10.4x13.5cm
- Carton Size:53.5x26.5x29.5cm
- Ctn/pcs: 12pcs/ctn
- Ctn G.W./N.W.: 8.2/7.6 kgs
- 20'/40'/40'HQ: 6900/13870/16260 Pcs





MDI-168 GREEN

FEATURES

- Dry function
- Non-stick coating soleplate
- Adjustable temperature
- Overheat protection
- Temperature pilot light
- 360°rotatable cord protector
- GB Size: 25.5x10.5x12cm
- Qty/Ctn: 10pcs/ctn
- Ctn Size: 43.5x26.5x38cm
- QTY 20'/40'/40'HQ: 7488/14976/17520pcs

MDI-168 PINK

FEATURES

- Dry function
- Non-stick coating soleplate
- Adjustable temperature
- Overheat protection
- Temperature pilot light
- 360°rotatable cord protector
- GB Size: 25.5x10.5x12cm
- Qty/Ctn: 10pcs/ctn
- Ctn Size: 43.5x26.5x38cm
- QTY 20'/40'/40'HQ: 7488/14976/17520pcs



MDI-168 PURPLE

FEATURES

- Dry function
- Non-stick coating soleplate
- Adjustable temperature
- Overheat protection
- Temperature pilot light
- 360°rotatable cord protector
- GB Size: 25.5x10.5x12cm
- Qty/Ctn: 10pcs/ctn
- Ctn Size: 43.5x26.5x38cm
- QTY 20'/40'/40'HQ: 7488/14976/17520pcs





MEGA

 **STAND FAN**

MEGA 

MSF-4027

FEATURES

- 16 Stand Fan 220-240/50Hz, 50w
- Motor: 71*16mm,CCA Wires
- Blade: 3*AS Blades
- Grill: 430mm*1.3mm*120pins, with plastic ring
- Timer : 60 Minutes
- Power code: 2*0*5*1m, copper wires
- Plug: Normal two round pins plug
- Outer stand pipe 38mm, inner pipe 25mm
- Packing: 2pcs/Color box (5 Layers)
- 40'HQ: 4300 Pcs



MDI-4016

FEATURES

- 16 Inch remote
- Standing Fan
- 220V 50Hz 50W
- 71*16 Copper Motor
- ABS Material
- 5 As Blade
- 7.5 Hours Timer
- 444*1.3*120 Line Grill
- 2*0.5*1.7M VDE TWO
- 1Pcs/Color box
- 40'HQ: 4300 Pcs



FOOD PROCESSOR
BLENDERS

OMEGA 

MB-755

FEATURES

- 2 IN 1 BLENDER
- 220-240V 50/60Hz POWER : 300W
- TWO ROUND PIN PLUG
- 6 BUTTONS & 2 SPEEDS WITH PULSE
- 1.5L PLASTIC JAR
- ONE DRY GRINDER
- SAFTY SWITCH
- CARTON : 6PCS PER CTN
- 20'40'40'HQ: 1626/3342/3914 Pcs



MB-507G

FEATURES

- 2 IN 1 STAINLESS STEEL BLENDER
- 220-240V~ 50/60Hz,POWER:350W
- VDE TWO ROUND PIN PLUG
- 2 SPEEDS WITH PULSE OPERATION
- 1.5L GLASS JAR
- STAINLESS STEEL BLADE
- SAFETY SWITCH SETTING
- BRUSH STAINLESS STEEL HOUSING
- WITH ONE GLASS GRINDER
- CARTON : 6PCS PER CTN
- 20'40'40'HQ: 1482/3048/3732 Pcs

MB-666G

FEATURES

- 2 IN 1 STAINLESS STEEL BLENDER
- 220-240V~ 50/60Hz,POWER:350W
- VDE TWO ROUND PIN PLUG
- 2 SPEEDS WITH PULSE OPERATION
- 1.5L GLASS JAR
- STAINLESS STEEL BLADE 12PCS
- SAFETY SWITCH SETTING PER CTN
- BRUSH STAINLESS STEEL HOUSING
- WITH ONE GLASS GRINDER
- CARTON : 6PCS PER CTN
- 20'40'40'HQ: 1554/3186/3732 Pcs





MB-L665G

FEATURES

- 2 IN 1 STAINLESS STEEL BLENDER
- 220-240V~ 50/60Hz, POWER:350W
- VDE TWO ROUND PIN PLUG
- 2 SPEEDS WITH PULSE OPERATION
- 1.5L GLASS JAR
- STAINLESS STEEL BLADE
- SAFETY SWITCH SETTING
- BRUSH STAINLESS STEEL HOUSING
- WITH ONE GLASS GRINDER
- CARTON : 6PCS PER CTN
- 20'/40'/40'HQ: 1554/3186/3732 Pcs

MB-714LG

FEATURES

- SINGLE STAINLESS STEEL BLENDER
- WITHOUT APPROVAL
- 220-240V,50/60HZ 350W
- VDE TWO ROUND PLUG
- 2 SPEEDS WITH PULSE
- WITH 1.5L GLASS JAR
- STAINLESS STEEL HOUSING
- WITH BLUE LED LIGHT
- WITH 4 WINGS BLADE
- CARTON : 6PCS PER CTN
- 20'/40'/40'HQ: 1350/2700/3222 Pcs



MCG-B305

FEATURES

- COFFEE BEAN GRINDER
- 220V 50Hz POWER:350W
- VDE TWO ROUND PIN PLUG
- STAINLESS STEEL JAR
- PLASTIC ABS BODY
- 3 SPEEDS
- CARTON : 12PCS PER CTN
- 20'/40'/40'HQ: 3300/8484/10020 Pcs



MBL-8514

FEATURES

- 4 IN 1 PLASTIC BLENDER
- 220V-240V 50/60HZ POWER:300W
- TWO ROUND PIN PLUG
- 2 SPEEDS WITH PULSE
- 1.5L PS PLASTIC JAR
- WITH ONE PS DRY GRINDER, ONE CHOPPER, ONE CUP
- WITH DOUBLE SAFTY SWITCH
- 20'/40'/40'HQ: 1320/2640/3520 Pcs



MHM-903C

FEATURES

- 3 SPEEDS HAND MIXER WITH STAINLESS STEEL BOWL
- 220-240V/50-60Hz POWER: 150W
- TWO ROUND PIN PLUG
- 3 SPEEDS WITH PULSE BUTTON
- CHROME HEAD
- WITH STAINLESS STEEL BOWL
- 2 PAIRS OF BEATER AND DOUGH
- CARTON : 6PCS PER CTN
- 20'/40'/40'HQ: 1482/3048/3570 Pcs



MHM-910

FEATURES

- STAND HAND MIXER WITH S/S BOWL
- 220V-240V, 50/60HZ, POWER: 300W
- VDE 2 ROUND PIN PLUG
- 5 SPEEDS WITH PULSE
- WITH TURBO FUNCTION
- WITH 2.8L STAINLESS STEEL BOWL
- 20'/40'/40'HQ: 1470/3024/3540 Pcs





Ω MHB-2434S

FEATURES

- 4 IN 1 HAND BLENDER SET
- 1)220-240V 50/60Hz RATED POWER : 200W
- 2)VDE TWO ROUND PIN PLUG
- 3)DC MOTOR
- 4)ONE SPEED
- 5)ABS PLASTIC HOUSING
- 6)LOW NOISE
- 7)SS ROD
- 8)WITH EGG WHISK,500ML CHOPPER, 500ML BEAKER
- 20'/40'/40'HQ: 3950/8120/9510 Pcs

Ω MHB-9914S

FEATURES

- 4 IN 1 STAINLESS STEEL HAND BLENDER
- 220-240V 50/60Hz POWER : 700W
- VDE TWO ROUND PIN PLUG
- DC MOTOR
- ADJUSTABLE SPEED
- STAINLESS STEEL HOUSING
- LOW NOISE
- WITH EGG WHISK,CHOPPER, BEAKER
- 20'/40'/40'HQ: 3240/6540/7710 Pcs



Ω MHB-2005

FEATURES

- High efficient motor
- Detachable stainless steel blending rod
- Stainless steel blade
- 2 speeds
- Optional attachment:
- Whisk & 500ml chopper & 700ml beaker & wall rack VDE plug
- Voltage: 220-240V 50/60Hz/GS
- Power: 300-400W/GS
- Loading Quantity : 20'STD:6912PCS, 40'STD:14316PCS ,40'HQ:16788PCS



MHB-2006

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power: 350-400W/GS
- High efficient motor
- Detachable stainless steel blending rod Stainless steel blade
- Optional attachment: Whisk & 500ml chopper & 700ml beaker & wall rack VDE plug
- Loading Quantity: 20'STD:9972PCS, 40'STD:20544PCS, 40'HQ:23880PCS

MHB-2106

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power: 350-400W/GS
- High efficient motor
- Detachable stainless steel blending rod Stainless steel blade
- Optional attachment: Whisk & 500ml chopper & 700ml beaker & wall rack VDE plug
- Loading Quantity: 20'STD:9972PCS, 40'STD:20544PCS, 40'HQ:23880PCS



MHB-2107

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- High efficient motor
- Detachable stainless steel blending rod
- Stainless steel blade
- Stepless variable speed
- Optional attachment: Whisk & 1000ml food processing cup & potato mesh & 700ml mixing cup & wall rack & chopper VDE plug
- Power:800W/GS
- Loading Quantity: 20'STD:7596PCS, 40'STD:15732PCS, 40'HQ:18444PCS

MHB-2108

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power:800W/GS
- High efficient motor
- Detachable stainless steel blending rod
- Stainless steel blade
- Stepless variable speed
- Optional attachment: Whisk & 1000ml food processing cup & potato mesh & 700ml mixing cup & wall rack & chopper
- VDE plug
- Loading Quantity: 20'STD:7596PCS, 40'STD:15732PCS, 40'HQ:18444PCS



MHB-2109

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power:900W/GS
- High efficient motor
- Detachable stainless steel blending rod
- Stainless steel blade
- Stepless variable speed
- Optional attachment: Whisk & 1000ml food processing cup & potato mesh & 700ml mixing cup & wall rack & chopper VDE plug
- Loading Quantity: 20'STD:7596PCS, 40'STD:15732PCS, 40'HQ:18444PCS

MHB-3006

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power: 250-300W/GS
- High efficient motor
- Polished plastic body
- 5 speed+Turbo
- Turbo function only works when the appliance is functioning
- With beaters and dough hooks
- Eject button with safety device VDE plug
- Loading Quantity: 20'STD:7596PCS, 40'STD:15732PCS, 40'HQ:18444PCS





MHB-3011

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power: 300-350W/GS
- High efficient motor
- Polished plastic body with S/S decorating ring
- 5 speed+Turbo
- Turbo function only works when the appliance is functioning
- With beaters and dough hooks
- Eject button with safety device, VDE plug
- Loading Quantity: 20'STD:73924PCS, 40'STD:15320PCS, 40'HQ:17960PCS

MHB-3012

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- Power: 300-350W/GS
- High efficient motor
- Polished plastic body with S/S decorating ring
- Adjustable 12 speeds, electronic control
- Turbo function only works when the appliance is functioning
- With beaters and dough hooks
- Eject button with safety device, VDE plug
- Loading Quantity: 20'STD:73924PCS, 40'STD:15320PCS, 40'HQ:17960PCS



MHB-3101

FEATURES

- Voltage: 220-240V 50/60Hz/GS
- High efficient motor
- Detachable stainless steel blending rod
- Stainless steel blade
- Stepless variable speed
- Optional attachment: Whisk & 1000ml food processing cup & potato mesh & 700ml mixing cup & wall rack & chopper VDE plug
- Power:800W/GS
- Loading Quantity: 20'STD:7596PCS, 40'STD:15732PCS, 40'HQ:18444PCS





 KETTLE

MEGA 

Ⓜ MK-1737

FEATURES

- Capacity : 1.7L
- 360°cordless jug-kettle
- Concealed stainless steel heating element
- Boil -dry protection
- Removable & washable filter
- Automatically turns off when water boils
- Unique water window with stainless steel decoration.
- On/off switch and Neon
- Special cool design and color combination to show fashion life
- Power: 220-240V 50/60Hz 1850-2200W
- 20'/40'/40'HQ: 3300/6600/7632 Pcs



Ⓜ MK-1751

FEATURES

- Capacity : 1.8L
- 360°rotary base, easy to use
- with high borosilicate glass body, durable and stain resistant
- Blue LED inside, display blue illumination light when boiling water
- Concealed stainless steel heating element
- Automatic one button cover starter
- Boiling dry protection
- Automatically turns off when water boils
- Power: 220-240V, 50/60Hz, 1850-2200W
- Or 110-120 V ~50/60Hz, 1850-2200W
- 20'/40'/40'HQ: 2460/5100/5802 Pcs



Ⓜ MK-1769

FEATURES

- Capacity : 1.7L
- 360 degree easy use
- Safety locking lid
- Automatic/ Manual switch off
- Overheat protection
- Double layers ,Outside plastic, inside stainless steel ,good for health. cool touch , after 5 times boiling , the surface is 49 degree ,and after half hour , the water temperature can still at 90 degree
- Nice design , different color for your choice .
- Power: 220-240V, 50/60Hz. 1850-2200W
- Or : 110-120V 50/60Hz 900-1100W
- 20'/40'/40'HQ: 3120/6560/7632 Pcs



MK-1789

FEATURES



- Capacity :1.7L
- 360°rotary base, easy to use
- with high borosilicate glass body, durable and stain resistant
- Blue LED inside, display blue illumination light when boiling water
- Concealed stainless steel heating element
- Automatic one button cover starter
- Boiling dry protection
- Automatically turns off when water boils
- Power:220-240V,50/60Hz, 1850-2200W
- 20'/40'/40'HQ: 2442/5106/5994 Pcs

MK-1796

FEATURES

- Capacity :1.7L
- 360°rotary base, easy to use with high with high borosilicate glass body, durable and stain resistant
- Stainless steel cover inner
- With LED illumination
- Concealed stainless steel heating element
- Boiling dry protection
- Automatically turns off when water boils
- Power:220-240V ~50/60Hz, 1850-2200W
- 20'/40'/40'HQ: 2640/5460/6420 Pcs



MK-2107

FEATURES

- 220-240V 50Hz 1850-2200W
- Cordless kettle
- Stainless steel heating element
- 1,7L
- Safety locking lid
- Dual water level indicator
- Dry-boil protection
- Automatic switch off
- 20'/40'/40'HQ: 3516/7128/8256 Pcs



MEAT GRINDERS

MEGA 

MMG-310H

FEATURES

- Power: 3500W, 8830 Motor
- Electronic control with LED indicator Light
- 2 Speed control
- Reverse function
- Electronic overload protection
- Large capacity metal hopper
- Color: White / Black
- One stainless steel cutting blade
- Three life time cutting plates includes fine cutting + medium cutting + Coarse cutting & Kubbe attachments
- Food pusher
- 20/40'HQ: 1000/2360 Pcs



MMG-300H

FEATURES

- Power: 1200W, 8830 Motor
- Reverse function
- Double safety protection
- 2 Speed control
- Large capacity metal hopper
- Color: White / Black
- One stainless steel cutting blade
- Three life time cutting plates includes fine cutting + medium cutting + Coarse cutting & Kubbe attachments
- Food pusher
- 20/40'HQ: 852/2048 Pcs





 RICE COOKERS

MEGA 

MRC-102

FEATURES

- Product name: RICE COOKER
- Model no.: JRC-102
- Capacity: 1.0L
- Power 220-240V 50/60Hz 400W
- Gift Box Size: 23.8*23.8*27CM
- Carton Size: 74*25*56CM
- Packing: 6PCS/CTN
- MOQ : 1000pcs
- 20' 1584pcs
- 40' 3384pcs
- 40HQ 4230pcs
- 20'/40'/40'HQ: 2784/5760/6750 Pcs



MRC-180T

FEATURES

- Product name: RICE COOKER
- Model no.: JRC-180T
- Capacity: 1.8L
- Power 220-240V 50/60Hz 700W
- Gift Box Size: 29.7*29.7*31CM
- Carton Size: 6.5*31*64CM
- Packing: 4PCS/CTN
- MOQ : 1000pcs
- 20' 900pcs
- 40' 1824pcs
- 40HQ 2128pcs



MRC-1769

FEATURES

- Product name: RICE COOKER
- Model no.: MRC-200
- Capacity: 2.8L
- Power 220-240V 50/60Hz 1000W
- Gift Box Size: 32*32*32.5CM
- Carton Size: 66*33.5*67CM
- Packing: 4PCS/CTN
- MOQ : 1000pcs
- 20' 804pcs
- 40' 1728pcs
- 40HQ 2016pcs





SANDWITCH MAKER



MSM-102

FEATURES

- Cool-touch omelette maker
- Non-stick coating for easy cleaning
- Stand upright for compact storage
- Skid-resistant feet
- Indicator light
- Certificate Possessed: GS/CE/ROHS.LFGB
- Packaging: Out canton and gift box
- Carton Dimension (LxWxH) (cm): 385*270*580mm (gift box : 260*125*280mm)
- Gross/Net Weight (kg): 10.5kgs/9.5kgs
- Power: 230V-50Hz 750W(120V-60Hz 760W)



MSM-101

FEATURES


- Cool-touch omelette maker
- Non-stick coating for easy cleaning
- Stand upright for compact storage
- Skid-resistant feet
- Indicator light
- Certificate Possessed: GS/CE
- Packaging: Out carton with giftbox
- Carton Dimension (LxWxH) (cm): 45*28.5*56cm(giftbox:27.3*14.5*27cm)
- Gross/Net Weight (kg): 9.8kg/9kg
- Power: 230V 50HZ 750W 120V 60HZ 760W

MSM-103

FEATURES

- Cool-touch omelette maker
- Non-stick coating for easy cleaning
- Stand upright for compact storage
- Skid-resistant feet
- Indicator light
- Certificate Possessed: GS/CE
- Packaging: Out canton and gift box
- Carton Dimension (LxWxH) (cm): 44.5*25*57cm(giftbox:24*14.3*27.5cm)
- Gross/Net Weight (kg): 10.3kg/9.5kg
- Power:220~240V 50HZ 800~1000W 120V 60HZ 760W





VACUUM CLEANER



Ⓜ MVC-L16S

FEATURES

- Power: 1000w-1400w
- Voltage: Ac220-240V
- Frequency: 50/60Hz
- Vacuum Capacity : >17Kpa
- Max Suction Power : 180W
- Dust Capacity : 16 Liter
- Noice Level : <75Db
- Gross Weight : 5.1KGS
- Product Size : 372*325*450mm
- Packing Size :385*340*460 mm
- Quantity Per Container: 1200pcs / 40HQ



Ⓜ MVC-L16B

FEATURES

- Power: 1400w-2000w
- Voltage: Ac220-240V
- Frequency: 50/60Hz
- Vacuum Capacity : >20Kpa
- Max Suction Power : 260W
- Dust Capacity : 25 Liter
- Noice Level : <84Db
- Gross Weight : 7.8KGS
- Net Weight : 6.4KGS
- Product Size : 417*358*570mm
- Packing Size :435*385*580 mm
- Quantity Per Container: 730pcs / 40HQ

Ⓜ MVC -L14BS

FEATURES

- Power: 1600w-1800w
- Voltage: Ac220-240V
- Frequency: 50/60Hz
- Vacuum Capacity : >22Kpa
- Max Suction Power : 240W
- Dust Capacity : 25 Liter
- Noice Level : <80Db
- Gross Weight : 8.2KGS
- Net Weight : 7.2KGS
- Product Size : 417*358*570mm
- Packing Size :435*385*580 mm
- Quantity Per Container: 730pcs / 40HQ





MVC-813

FEATURES

- Power: 2000
- Voltage: 220-240
- Noise(DB): <76
- Vacuum : >1.8
- Wind volume of flow: 1.8
- Dust bag capacity : 4
- Wire/Cable Length :4.8
- G.W (Kg): 7.6
- N.W (Kg): 6.6
- Package size 500*260*330
- Unit size(mm) 509*308*250
- 20'/40'/40'HQ: 450/900/1080 Pcs

MVC-817

FEATURES

- Power: 2200
- Voltage: 220-240
- Noise(DB): <76
- Vacuum : >18
- Wind volume of flow: 1.8
- Dust bag capacity : 6
- Wire/Cable Length :4.8
- G.W (Kg): 8.7
- N.W (Kg): 7.2
- Package size 590*355*325
- Unit size(mm) 553*320*252
- 20'/40'/40'HQ: 422/802/1008 Pcs



MVC-826

FEATURES

- Power: 2400
- Voltage: 220-240
- Noise(DB): <76
- Vacuum : >18
- Wind volume of flow: 1.9
- Dust bag capacity : 6
- Wire/Cable Length :4.8
- G.W (Kg): 7.7
- N.W (Kg): 6.7
- Package size 500*296*310
- Unit size(mm) 388*276*235
- 20'/40'/40'HQ: 650/1350/1568 Pcs

